

TABLE 2—FINAL 2013 ABCs, TACs, AND OFLs OF GROUNDFISH FOR THE WESTERN/CENTRAL/WEST YAKUTAT, WESTERN, CENTRAL, EASTERN REGULATORY AREAS, AND IN THE WEST YAKUTAT, SOUTHEAST OUTSIDE, AND GULFWIDE DISTRICTS OF THE GULF OF ALASKA

[Values are rounded to the nearest metric ton]

Species	Area <sup>1</sup>	OFL	ABC	TAC
Pollock <sup>2</sup>	Shumagin (610)	n/a	32,816	32,816
	Chirikof (620)	n/a	49,662	49,662
	Kodiak (630)	n/a	28,565	28,565
	WYK (640)	n/a	3,517	3,517
	W/C/WYK (subtotal)	155,402	114,560	114,560
	SEO (650)	14,366	10,774	10,774
	Total		169,768	125,334
Pacific cod <sup>3</sup>	W	n/a	29,120	21,840
	C	n/a	59,150	44,363
	E	n/a	2,730	2,047
	Total	108,000	91,000	68,250
Sablefish <sup>4</sup>	W	n/a	1,757	1,757
	C	n/a	5,686	5,686
	WYK	n/a	2,219	2,219
	SEO	n/a	3,132	3,132
	E (WYK and SEO) (subtotal)	n/a	5,351	5,351
	Total	15,129	12,794	12,794
Shallow-water flatfish <sup>6</sup>	W	n/a	20,171	13,250
	C	n/a	21,012	18,000
	WYK	n/a	3,950	3,950
	SEO	n/a	1,350	1,350
	Total	56,781	46,483	36,550
Deep-water flatfish <sup>5</sup>	W	n/a	176	176
	C	n/a	2,308	2,308
	WYK	n/a	1,581	1,581
	SEO	n/a	1,061	1,061
	Total	6,834	5,126	5,126
Rex sole	W	n/a	1,283	1,283
	C	n/a	6,291	6,291
	WYK	n/a	821	821
	SEO	n/a	1,037	1,037
	Total	12,326	9,432	9,432
Arrowtooth flounder	W	n/a	27,386	14,500
	C	n/a	142,591	75,000
	WYK	n/a	21,074	6,900

Species	Area <sup>1</sup>	OFL	ABC	TAC
	SEO .....	n/a	20,982	6,900
	Total .....	249,066	212,033	103,300
Flathead sole .....	W .....	n/a	15,518	8,650
	C .....	n/a	26,205	15,400
	WYK .....	n/a	4,623	4,623
	SEO .....	n/a	1,735	1,735
	Total .....	60,219	48,081	30,408
Pacific ocean perch <sup>7</sup> .....	W .....	2,364	2,050	2,050
	C .....	12,662	10,985	10,985
	WYK .....	n/a	1,650	1,650
	SEO .....	n/a	1,815	1,815
	E (WYK and SEO) (subtotal) .....	3,995	n/a	n/a
	Total .....	19,021	16,500	16,500
Northern rockfish <sup>8 9</sup> .....	W .....	n/a	2,017	2,017
	C .....	n/a	3,136	3,136
	E .....	n/a	0	0
	Total .....	6,152	5,153	5,153
Shortraker rockfish <sup>11</sup> .....	W .....	n/a	104	104
	C .....	n/a	452	452
	E .....	n/a	525	525
	Total .....	1,441	1,081	1,081
Other rockfish <sup>9 12</sup> .....	W .....	n/a	44	44
	C .....	n/a	606	606
	WYK .....	n/a	230	230
	SEO .....	n/a	3,165	200
	Total .....	5,305	4,045	1,080
Pelagic shelf rockfish) <sup>13</sup> .....	W .....	n/a	381	381
	C .....	n/a	3,581	3,581
	WYK .....	n/a	504	504
	SEO .....	n/a	296	296
	Total .....	5,822	4,762	4,762
Rougheye and Blackspotted rockfish <sup>10</sup> .....	W .....	n/a	82	82
	C .....	n/a	861	861
	E .....	n/a	297	297
	Total .....	1,492	1,240	1,240
Demersal shelf rockfish <sup>14</sup> .....	SEO .....	467	293	293
Thornyhead rockfish .....	W .....	n/a	150	150
	C .....	n/a	766	766
	E .....	n/a	749	749
	Total .....	2,220	1,665	1,665
Atka mackerel .....	GW .....	6,200	4,700	2,000
Big skate <sup>15</sup> .....	W .....	n/a	469	469
	C .....	n/a	1,793	1,793
	E .....	n/a	1,505	1,505
	Total .....	5,023	3,767	3,767
Longnose skate <sup>16</sup> .....	W .....	n/a	70	70
	C .....	n/a	1,879	1,879

Species	Area <sup>1</sup>	OFL	ABC	TAC
	E .....	n/a	676	676
	Total .....	3,500	2,625	2,625
Other skates <sup>17</sup> .....	GW .....	2,706	2,030	2,030
Squids .....	GW .....	1,530	1,148	1,148
Sharks .....	GW .....	8,037	6,028	6,028
Octopus .....	GW .....	1,941	1,455	1,455
Sculpins .....	GW .....	7,641	5,731	5,731
Total .....	.....	756,621	612,506	447,752

<sup>1</sup> Regulatory areas and districts are defined at §679.2. (W = Western Gulf of Alaska; C = Central Gulf of Alaska; E = Eastern Gulf of Alaska; WYK = West Yakutat District; SEO = Southeast Outside District; GW = Gulf-wide).

<sup>2</sup> Pollock is apportioned in the Western/Central Regulatory Areas among three statistical areas. During the A season, the apportionment is based on an adjusted estimate of the relative distribution of pollock biomass of approximately 23 percent, 55 percent, and 22 percent in Statistical Areas 610, 620, and 630, respectively. During the B season, the apportionment is based on the relative distribution of pollock biomass at 23 percent, 67 percent, and 10 percent in Statistical Areas 610, 620, and 630, respectively. During the C and D seasons, the apportionment is based on the relative distribution of pollock biomass at 37 percent, 28 percent, and 35 percent in Statistical Areas 610, 620, and 630, respectively. Table 4 lists the final 2013 seasonal apportionments. In the West Yakutat and Southeast Outside Districts of the Eastern Regulatory Area, pollock is not divided into seasonal allowances.

<sup>3</sup> The annual Pacific cod TAC is apportioned 60 percent to the A season and 40 percent to the B season in the Western and Central Regulatory Areas of the GOA. Pacific cod in the Eastern Regulatory Area is allocated 90 percent for processing by the inshore component and 10 percent for processing by the offshore component. Table 6 lists the final 2013 Pacific cod seasonal apportionments.

<sup>4</sup> Sablefish is only allocated to trawl gear for 2013. Table 8 lists the final 2013 allocation of sablefish TACs to trawl gear.

<sup>5</sup> "Deep-water flatfish" means Dover sole, Greenland turbot, Kamchatka flounder, and deep sea sole.

<sup>6</sup> "Shallow-water flatfish" means flatfish not including "deep-water flatfish," flathead sole, rex sole, or arrowtooth flounder.

<sup>7</sup> "Pacific ocean perch" means *Sebastes alutus*.

<sup>8</sup> "Northern rockfish" means *Sebastes polyspinous*. For management purposes the 2 mt apportionment of ABC to the WYK District of the Eastern Gulf of Alaska has been included in the slope rockfish species group.

<sup>9</sup> "Slope rockfish" means *Sebastes aurora* (aurora), *S. melanostomus* (blackgill), *S. paucispinis* (bocaccio), *S. goodei* (chilipepper), *S. crameri* (darkblotch), *S. elongatus* (greenstriped), *S. variegatus* (harlequin), *S. wilsoni* (pygmy), *S. babcocki* (redbanded), *S. proriger* (redstripe), *S. zacentrus* (sharpchin), *S. jordani* (shortbelly), *S. brevispinis* (silvergrey), *S. diploproa* (splitnose), *S. saxicola* (stripetail), *S. miniatus* (vermillion), *S. reedi* (yellowmouth), *S. entomelas* (widow), and *S. flavidus* (yellowtail). In the Eastern GOA only, slope rockfish also includes northern rockfish, *S. polyspinous*.

<sup>10</sup> "Rougheye rockfish" means *Sebastes aleutianus* (rougheye) and *Sebastes melanostictus* (blackspotted).

<sup>11</sup> "Shortraker rockfish" means *Sebastes borealis*.

<sup>12</sup> "Other rockfish" in the Western and Central Regulatory Areas and in the West Yakutat District means slope rockfish and demersal shelf rockfish. The "other rockfish" species group in the SEO District means slope rockfish.

<sup>13</sup> "Pelagic shelf rockfish" means *Sebastes variabilis* (dusky).

<sup>14</sup> "Demersal shelf rockfish" means *Sebastes pinniger* (canary), *S. nebulosus* (china), *S. caurinus* (copper), *S. maliger* (quillback), *S. helvomaculatus* (rosethorn), *S. nigrocinctus* (tiger), and *S. ruberrimus* (yelloweye).

<sup>15</sup> "Big skate" means *Raja binoculata*.

<sup>16</sup> "Longnose skate" means *Raja rhina*.

<sup>17</sup> "Other skates" means *Bathyrāja* spp.